



TEMPERATURE TREATMENT SYSTEMS

FLEXIBLE SOLUTIONS: FOR EACH **APPLICATION A SUITABLE SYSTEM**





systems







Medical Equipment

Control units

Curing of conformal coating

Temperature treatment for function tests

smt-wertheim.com

THE VARIABLES

Product-specific curing and drying of conformal coating and sealing compounds. Perfect pre-treatment for electronic components and modules for hot and cold function tests. Best reproducibility of temperature profiles. The highly accurate machine parameters and top process reliability make the tem-

perature treatment systems of SMT ideal equipment for the assembly and test section, especially in such sensitive industries as medical devices, dashboards, control units, support and communication systems.





TEMPERATURE TREATMENT VERTICAL



TEMP. TREATMENT FOR FUNCTION TESTS



HTT / KTT – CURING AND TEMPERATURE TREATMENT PROCESSES – HORIZONTAL

Product-specific curing and drying of glues, lacquer, etc. as well as for temperature treatment for function tests.

- Customized solutions
- Modular system for each process (0.5 m steps)
- Multitrack system possible
- Up to two transport levels possible
- Heavy duty conveyor possible up to 50 kg/ m possible
- Low maintenance effort



• Convection AND IR-lamps

FLEXIBLE HEATING CONCEPT

 Convection control via frequency converter

Convection



HTT / KTT – CUSTOMIZED SOLUTIONS



HTT system (+155 °C *) and KTT system (-45 °C *) with integrated tester * application example







+ HTT max. +200 °C **+** KTT max. –50 °C

Combination of IR and Convection

To avoid effects "orange peel" and "running" in the warm-up phase and "burning" in the holding phase.

Inline temperature treatment and testing in hot and cold process environment.

HTT – CUSTOMIZED SOLUTIONS

HTT system with transverse shuttle Return transport (1 lane) incl. water cooling Curing at 150 °C * Cooling back to room temperature

👚 Benefit

Temperature treatment, handling and return transport incl. cooling in one system

Customized transport solution for small products

HTT system with special shuttle transport

15* loading positions per shuttle





* application example:

Benefit

with integrated carrier

UV CONFORMAL COATING SYSTEM

The modular, variable machine concept for UV curing of PCBs. Short, compact machine design depending on pass through

height in order to avoid the emission of UV radiation at the in- and outlet.

Benefits

Constant process quality over a long production period

UV light source (UV microwave lamps): long life time, no loss of UV-power for > 6000 h

 \rightarrow process reliability

Start-up time < 1 minute

Maintenance-free

Full integration in the SMT machine data system (mangement data system and MES)



VERTICAL – CURING AND TEMP. TREATMENT PROCESSES

Product-specific curing and drying of glues, lacquer, etc. as well as for temperature treatment for function tests.

Transport system is based on work piece carrier Carrier size (400 x 400 mm) 3 or 4 zones "up" and "down"

The Benefit Manually or automatically operated Oil-free transport Also with cooling zones available Minimal footprint

LAYOUT COMPARISON STANDARD HTT VS. VERTCIAL SYSTEM

Cycle time: 17 s Product length: 150 mm Product width: 100 mm (on work piece carrier:150 mm) Product height: 50 mm Heat-up time: 15 min. Holding time: 30 min Cool-down time: 15 min.

- + Horizontal HTT 8.0 K3.0: 4 lane transport
 - = footprint approx. **25 m²**
- + Vertical VH8: 6 heating zones and 2 cooling zones
 - = footprint approx. **3.5 m²**









Transport system Vertical VH8

👚 Benefit

Small footprint

manually or automatically

temperature function tests

Loading/unloading on the same side,

High throughput: 15 sec cycle possible

Increase in product reliability via

Traceability and handling options

CUBE TEMPERATURE TREATMENT SYSTEMS

Perfect pre-treatment for electronic components and modules.

Cube Versions:

for Hot Function Tests 60 °C up to 155 °C

for Cooling to Room Temperature

for Cold Function Tests -50 °C up to -10 °C







SPECIAL FEATURES OF THE SYSTEM

Vertical wheel, individually configurable (existing versions 16 or 20 clusters)

Loading and unloading position in one step

Manual or automatical opening / closing of the product door

ASK US WE HAVE THE **PERFECT SOLUTION** FOR YOUR APPLICATION!



HTT / KTT







CUBE







FLEXIBLE SOLUTIONS: A SUITABLE SYSTEM FOR EVERY APPLICATION



SMT – PLANT I AND ADMINISTRATION BUILDING



The company SMT Thermal Discoveries is a recognized expert in the field of mechanical engineering for thermal processes since more than 30 years. The company has aligned itself worldwide in recent years with offices in Europe, North America and China and employs about 150 people in five plants at its headquarters in Wertheim, Germany. SMT is famous for their SMD reflow soldering systems and also provides voidfree soldering results in manufacturing processes with vacuum technology

since 2009. The company holds several patents and developed innovative machine features such as CATalysis process gas cleaning or an intelligent nitrogen control. Temperature treatments systems or systems for curing and drying are an ideal supplement to the proven reflow soldering systems.

FOLLOW US: WWW.LINKEDIN.COM/COMPANY/SMT-THERMAL-DISCOVERIES/

Machines for Thermal Processes from -50 °C up to +450 °C



reflow soldering





vacuum soldering

temperature treatment

customized solutions

SMT Maschinen- und Vertriebs GmbH & Co. KG

Roter Sand 5-7, 97877 Wertheim Phone: +49 9342 970-0 info@smt-wertheim.de www.smt-wertheim.com

Suzhou SMT

Machinery and Equipment Co., Ltd. 2#, Yang Yun Road, Lou Feng, Suzhou Industrial Park, China Phone: +86 512 672 177 37

SMT North America, Inc. 2270 Pump Road, Suite A 23233 Richmond, Virginia, USA info@smtna.com